



TAHWEEL
Plumbing Systems

INSTALL IT
AND
FORGET IT ..

P.O. Box 6959, Riyadh 4913- 12361 Kingdom of Saudi Arabia - C.R. 1010352853 Tel. +920008332 Fax +966112008251

www.tahweelpipe.com    @tahweelpipes

A close-up photograph of a bamboo stalk being poured into a circular opening in a green surface. The bamboo stalk is cut lengthwise, revealing its hollow interior. A stream of clear liquid is being poured from the stalk into the opening. The background is a soft, out-of-focus green.

“Tahweel Plumbing Systems

*strives to lay less waste to the environment by using
efficient natural resources and use technologies
that reduce the risk of occupational
health and safety”*

About Us

Tahweel Building Trading Company is a subsidiary company of Tahweel Integrated Company (TIC) registered in Saudi Arabia. We are specialized in supplying piping products and fittings for plastic piping systems of pressure and hot and cold water as well as sanitary distribution. Our main products are PP-R Pipes and Fittings.

Tahweel PPR Pipes & Fittings products are entirely manufactured in accordance with the European standards and highly advanced technologies. Our products are durable to different water pressures and harsh environmental conditions. All our products comply with the Saudi (SASO) and German (DIN) Standards.

Tahweel PPR Pipes & Fittings systems follow German standard with 50 years of service life. Tahweel PPR Pipes & Fittings applies a strict quality control system on all its products and provides non-corrosive, defect-free and safe pipes for a smooth flow of water for homes and industrial processes.

Tahweel PPR Pipes & Fittings are produced using high-tech extrusion lines and injection molding machines to ensure maximum efficiency while bearing cold, as well as, hot water. Tahweel PPR Pipes & Fittings is reliable for the transfer of all aggressive acidic, alkaline, and other corrosive and reactive chemicals, without being affected. Tahweel PPR Pipes & Fittings are not only of splendid quality, but the company also guarantees complete customer satisfaction through constant improvement and friendly customer care services.

Vision

To provide the best piping and fittings solutions while continually contributing to the Saudi economy and building shareholder value through maintaining high standards and quality as our number one priority of all times.

Mission

Combine high technology with innovative practices to create the highest quality piping and fittings solutions with an eye on environment and human health. Constantly raising the bar on quality and productivity, keeping to our ethical code, excellence of our workplace, inspire our human resources and maintain good levels of satisfaction among our stakeholders and community at large.

Products Main Characteristics

- High temperature stability
- Hygienic and environmental friendliness
- No siltation
- Easy and clean installation, easy welding
- High sound insulating
- Chemical resistance
- Recyclable
- Resistance to electrochemical corrosion
- Low thermal conductivity
- Resistance to stray electric currents
- High heat insulating
- High impact rate
- Low loss of pressure
- Light weight

Healthy Choice

Tahweel PPR Pipes & Fittings keeps the Occupational Health and Safety at the forefront of all circumstances. Our management will continue to raise awareness on this issue and conduct all necessary trainings to ensure developing a clear policy for employees health, safety, and protection in the working environment. This also apply to product and process design, taking into account the environmental impacts. We strive to lay less waste to the environment, efficient use of natural resources and use technologies that reduce the risk of occupational health and safety. Our employees and other stakeholders work together to raise health and safety performance, reduce occupational accident rates, minimize the amounts of waste and unnecessary use of natural resources.

Warranty

We are providing 15-year warranty for the entire piping network products from the date of installation, You may contact our local representatives for further details.



A 686



Made in Saudi Arabia



German Technology



15 years warranty



ISO 2008 : 9001



ISO 2004 : 14001



DVGW Certificate



Accredited to the government project



License Certificate Using Quality Mark

License Certificate Using Quality Mark

German SKZ Certificate

German SKZ Certificate



PP-R Pipe SDR 6 Series 6 According to DIN 8077/78

مواسير بولي پروپيلين

Art.No	Dimension	Outer Diameter (OD)mm	Wall Thickness (S)	Internal Diameter (ID)mm	Water content l/mt	Kg/mt	Packing Unit
P20 - 20	20 mm	20	3.4	13.2	0.137	0.172	35 pc
P20 - 25	25 mm	25	4.2	16.6	0.216	0.266	20 pc
P20 - 32	32 mm	32	5.4	21.2	0.353	0.434	15 pc
P20 - 40	40 mm	40	6.7	26.6	0.556	0.671	11 pc
P20 - 50	50 mm	50	8.3	33.4	0.866	1.040	5 pc
P20 - 63	63 mm	63	10.5	42	1.385	1.650	4 pc
P20 - 75	75 mm	75	12.5	50	1.963	2.340	3 pc
P20 - 90	90 mm	90	15	60	2.827	3.360	2 pc
P20 - 110	110 mm	110	18.3	73.4	4.208	5.010	2 pc



Faser Pipe Composite PP-R SDR 7.4 with fiberglass layer According To DIN 8077/78

مواسير بولي بروبيلين بطبقة الألياف الزجاجية

Art.No	Dimension	Outer Diameter (OD)mm	Wall Thickness (S)	Internal Diameter (ID)mm	Water content l/mt	Kg/mt	Packing Unit
PF25 - 20	20 mm	20	2.8	14.4	0.163	0.159	35 pc
PF25 - 25	25 mm	25	3.5	18.0	0.254	0.247	20 pc
PF25 - 32	32 mm	32	4.4	23.2	0.423	0.395	15 pc
PF25 - 40	40 mm	40	5.5	29.0	0.660	0.610	11 pc
PF25 - 50	50 mm	50	6.9	36.2	1.029	0.950	5 pc
PF25 - 63	63 mm	63	8.6	45.8	1.647	1.490	4 pc
PF25 - 75	75 mm	75	10.3	54.4	2.323	2.115	3 pc
PF25 - 90	90 mm	90	12.3	65.4	3.358	3.030	2 pc
PF25 - 110	110 mm	110	15.1	79.8	4.999	4.530	1 pc



Faser Composite UV Resistant Pipe PP-R SDR 7.4 with Fiber layer According To DIN 8077/78

مواسير بولي بروبيلين بطبقة الألياف الزجاجية المعزولة للاستخدام الخارجي

Art.No	Dimension	Outer Diameter (OD)mm	Wall Thickness (S)	Internal Diameter (ID)mm	Water content l/mt	Kg/mt	Packing Unit
PFU25-20	20 mm	20	2.8	14.4	0.163	0.211	35 pc
PFU25-25	25 mm	25	3.5	18.0	0.254	0.316	20 pc
PFU25-32	32 mm	32	4.4	23.2	0.423	0.488	15 pc
PFU25-40	40 mm	40	5.5	29.0	0.660	0.733	11 pc
PFU25-50	50 mm	50	6.9	36.2	1.029	1.108	5 pc
PFU25-63	63 mm	63	8.6	45.8	1.647	1.697	4 pc
PFU25-75	75 mm	75	10.3	54.4	2.323	2.363	3 pc
PFU25-90	90 mm	90	12.3	65.4	3.358	3.400	2 pc
PFU25-110	110 mm	110	15.1	79.8	4.999	5.093	2 pc

Socket multi +**+ جلبة معزول**

Art.No	Dimension	Packing Unit
S1UR-20	20 mm	400 pc
S1UR-25	25 mm	400 pc
S1UR-32	32 mm	200 pc
S1UR-40	40 mm	100 pc
S1UR-50	50 mm	50 pc
S1UR-63	63 mm	30 pc
S1UR-75	75 mm	24 pc
S1UR-90	90 mm	16 pc
S1UR-110	110 mm	6 pc

**Reducer Socket Multi+****+ نقاص معزول**

Art. No	Dimension	Packing Unit
R1UR-4032	40/32 mm	100 pc
R2UR-6332	63/32 mm	50 pc
R2UR-9032	90/32 mm	20 pc
R1UR-3225	32/25 mm	200 pc
R1UR-5032	50/32 mm	100 pc
R2UR-11075	110/75 mm	10 pc
R2UR-3225	32/25 mm	200 pc
R2UR-5040	50/40 mm	50 pc
R2UR-6340	63/40 mm	50 pc
R2UR-6350	63/50 mm	50 pc
R2UR-7532	75/32 mm	20 pc
R2UR-7540	75/40 mm	20 pc
R2UR-7563	75/63 mm	20 pc
R2UR-9063	90/63 mm	16 pc

**Equal Tee Multi +****+ قسام معزول**

Art.No	Dimension	Packing Unit
(T1UR-32)	32 mm	100 pc
(T1UR-40)	40 mm	50 pc
(T1UR-50)	50 mm	20 pc
(T1UR-63)	63 mm	10 pc
(T1UR-75)	75 mm	12 pc
(T1UR-90)	90 mm	6 pc
(T1UR-110)	110 mm	3 pc
(T1UR-20)	20 mm	200 pc
(T1UR-25)	25 mm	100 pc





Elbow 90° Multi +

كوع زاوية ٩٠ معزول +


Art.No	Dimension	Packing Unit
(E1UR-32)	32 mm	100 pc
(E1UR-40)	40 mm	50 pc
(E1UR-50)	50 mm	40 pc
(E1UR-63)	63 mm	20 pc
(E1UR-75)	75 mm	14 pc
(E1UR-90)	90 mm	6 pc
(E1UR-110)	110 mm	3 pc
(E1UR-20)	20 mm	400 pc
(E1UR-25)	25 mm	200 pc



Elbow UV

كوع فاتح معزول +

Art.No	Dimension	Packing Unit
(E3UR-20)	20 mm	400 pc
(E3UR-25)	25 mm	200 pc
(E3UR-32)	32 mm	100 pc
(E3UR-40)	40 mm	100 pc
(E3UR-50)	50 mm	50 pc
(E3UR-63)	63 mm	20 pc
(E3UR-75)	75 mm	16 pc
(E3UR-110)	110 mm	6 pc
(E5-25 1/2)	25 1/2 mm	100 pc



End Cap Multi +

سدّة معزول +

Art.No	Dimension	Packing Unit
(CUR-32)	32 mm	200 pc
(CUR-40)	40 mm	100 pc
(CUR-50)	50 mm	100 pc
(CUR-63)	63 mm	50 pc
(CUR-75)	75 mm	30 pc
(CUR-90)	90 mm	20 pc
(CUR-110)	110 mm	10 pc
(CUR-25)	25 mm	400 pc

Saddle Socket Multi +**+ سرج معزول**

Art.No	Dimension	Packing Unit
(SDSUR-6332)	63 x 32 mm	100 pc
(SDSUR-9032)	90 x 32 mm	100 pc

**Transition Piece Round Female Multi +****+ جلبة سن داخلي معزول**

Art.No	Dimension	Packing Unit
(AF1UR-632)	63 x 2 mm	10 pc
(AF1UR-752 1/2)	75 x 2 1/2 mm	8 pc
(AF1UR-903)	90 x 3 mm	6 pc
(AF1UR-1104)	110 x 4 mm	3 pc
(AF1UR-321)	32 x 1 mm	50 pc
(AF1UR-40 1 1/4)	40 x 1 1/4 mm	20 pc
(AF1UR-50 1 1/2)	50 x 1 1/2 mm	20 pc

**Transition Piece Round Male
(With hexagon Socket) Multi +****+ جلبة سن خارجي
مسندس معزول**

Art.No	Dimension	Packing Unit
(AM1UR-321)	32 x 1 mm	50 pc
(AM1UR-632)	63 x 2 mm	10 pc
(AM1UR-752 1/2)	75 x 2 1/2 mm	8 pc
(AM1UR-903)	90 x 3 mm	6 pc
(AM1UR-1104)	110 x 4 mm	2 pc
(AM1UR-40 1 1/4)	40 x 1 1/4 mm	20 pc
(AM1UR-50 1 1/2)	50 x 1 1/2 mm	20 pc

**Ball Valve Multi +****+ محبس سكين خارجي معزول**

Art.No	Dimension	Packing Unit
(BVUR-32)	32 mm	10 pc
(BVUR-25)	25 mm	10 pc
(BVUR-40)	40 mm	10 pc
(BVUR-50)	50 mm	5 pc
(BVUR-63)	63 mm	5 pc





Stop Globe Valve Multi +

محبس معزول +

Art. No	Dimension	Packing Unit
V1UR-25	25 mm	10 pc
V1UR-32	32 mm	10 pc
V1UR-75	75 mm	3 pc
V1UR-90	90 mm	2 pc
V1UR-63	63 mm	5 pc
V1UR-50	50 mm	10 pc
V1UR-40	40 mm	10 pc



Transition Female Tee

قسام سن داخلي

Art.No	Dimension	Packing Unit
T3-20 1/2	20 mm x 1/2	100 pc
T3-25 1/2	25 mm x 1/2	100 pc
T3-25 3/4	25 mm x 3/4	100 pc
T3-32 1/2	32 mm x 1/2	100 pc
T3-32 3/4	32 mm x 3/4	50 pc
T3-32 1	32 mm x 1	50 pc



Transition Female Tee Multi + قسام سن داخلي معزول

Art.No	Dimension	Packing Unit
T3UR-20 1/2	20 mm x 1/2	100 pc
T3UR-25 1/2	25 mm x 1/2	100 pc
T3UR-25 3/4	25 mm x 3/4	100 pc
T3UR-32 1/2	32 mm x 1/2	100 pc
T3UR-32 3/4	32 mm x 3/4	50 pc
T3UR-32 1	32 mm x 1	50 pc

Transition Piece Round-Female

جلبة سن داخلي

Art.No	Dimension	Packing Unit
AF-20 1/2	20 mm x 1/2	100 pc
AF-25 1/2	25 mm x 1/2	100 pc
AF-25 3/4	25 mm x 3/4	100 pc
AF-32 3/4	32 mm x 3/4	100 pc



Transition Piece Round-Female Multi + جلبة سن داخلي معزول

Art.No	Dimension	Packing Unit
AFUR-20 1/2	20 mm x 1/2	100 pc
AFUR-25 1/2	25 mm x 1/2	100 pc
AFUR-25 3/4	25 mm x 3/4	100 pc
AFUR-32 3/4	32 mm x 3/4	100 pc



Stem Extension

تطويلة محبس

Art. No	Dimension	Packing Unit
SE-32 mm	32 mm	100 pc
SE-50 mm	50 mm	100 pc



طقم اصلاح

Repair Hold Accessories
with Stick RHA



Transition Piece Round-male

جلبة سن خارجي

Art.No	Dimension	Packing Unit
AM-20 1/2	20 mm x 1/2	100 pc
AM-25 1/2	25 mm x 1/2	100 pc
AM-25 3/4	25 mm x 3/4	100 pc
AM-32 3/4	32 mm x 3/4	100 pc



Transition Piece Round-Male Multi +

جلبة سن خارجي معزول

Art.No	Dimension	Packing Unit
AMUR-20 1/2	20 x 1/2 mm	100 pc
AMUR-25 1/2	25 x 1/2 mm	100 pc
AMUR-25 3/4	25 x 3/4 mm	100 pc
AMUR-32 3/4	32 x 3/4 mm	100 pc



Transition PP-R Female Union

شد وصل سن داخلي

Art.No	Dimension	Packing Unit
TUF 2-20 1/2	20 mm x 1/2	50 pc
TUF 2-25 3/4	25 mm x 3/4	50 pc
TUF 2-32 1	32 mm x 1	30 pc
TUF 2-40 1 1/4	40 mm x 1 1/4	10 pc
TUF 2-50 1 1/2	50 mm x 1 1/2	10 pc
TUF 2-63 2	63 mm x 2	10 pc



Transition PP-R Female Union Multi +

شد وصل سن داخلي معزول

Art.No	Dimension	Packing Unit
TUF2UR-20 1/2	20 mm x 1/2	50 pc
TUF2UR-25 3/4	25 mm x 3/4	50 pc
TUF2UR-32 1	32 mm x 1	30 pc
TUF2UR-40 1 1/4	40 mm x 1 1/4	10 pc
TUF2UR-50 1 1/2	50 mm x 1 1/2	10 pc
TUF2UR-63 2	63 mm x 2	10 pc

Transition PP-R Male Union

شد وصل سن خارجي

Art. No	Dimension	Packing Unit
TUM 2-20 1/2	20 mm x 1/2	50 pc
TUM 2-25 3/4	25 mm x 3/4	50 pc
TUM 2-32 1	32 mm x 1	30 pc
TUM 2-40 1 1/4	40 mm x 1 1/4	10 pc
TUM 2-50 1 1/2	50 mm x 1 1/2	10 pc
TUM 2-63 2	63 mm x 2	10 pc



Transition PP-R Male Union Multi +

شد وصل سن خارجي معزول

Art. No	Dimension	Packing Unit
TUM2UR-20 1/2	20 mm x 1/2	50 pc
TUM2UR-25 3/4	25 mm x 3/4	50 pc
TUM2UR-32 1	32 mm x 1	30 pc
TUM2UR-40 1 1/4	40 mm x 1 1/4	10 pc
TUM2UR-50 1 1/2	50 mm x 1 1/2	10 pc
TUM2UR-63 2	63 mm x 2	10 pc



Flange

فلنجة

Art. No	Dimension	Packing Unit
PFS-75 mm	75 mm	4 pc
PFS-90 mm	90 mm	3 pc
PFS-110 mm	110 mm	3 pc



Transition Piece Round-Male -with Hexagon Socket

جلبة سن خارجي مسدس

Art. No	Dimension	Packing Unit
AM1-32 1	32 mm x 1	50 pc
AM1-40 1 1/4	40 mm x 1 1/4	20 pc
AM1-50 1 1/2	50 mm x 1 1/2	20 pc
AM1-63 2	63 mm x 2	10 pc
AM1-75 2 1/2	75 mm x 2 1/2	8 pc
AM1-90 3	90 mm x 3	6 pc
AM1-110 4	110 mm x 4	2 pc





Transition Piece Round- Female -with Hexagon Socket

جلبة سن داخلي مسدس

Art. No	Dimension	Packing Unit
AF1 -32 1	32 mm x 1	50 pc
AF1 -40 1 1/4	40 mm x 1 1/4	20 pc
AF1 -50 1 1/2	50 mm x 1 1/2	20 pc
AF1 -63 2	63 mm x 2	10 pc
AF1 -75 2 1/2	75 mm x 2 1/2	8 pc
AF1 -90 3	90 mm x 3	6 pc
AF1 -110 4	110 mm x 4	3 pc



Transition Elbow Female

كوع سن داخلي

Art. No	Dimension	Packing Unit
E6-20 1/2	20 mm x 1/2	100 pc
E6-25 1/2	25 mm x 1/2	100 pc
E6-25 3/4	25 mm x 3/4	100 pc
E6-32 1/2	32 mm x 1/2	100 pc
E6-32 3/4	32 mm x 3/4	100 pc
E6-32 1	32 mm x 1	50 pc



Transition Elbow Female Multi + كوع سن داخلي معزول

Art. No	Dimension	Packing Unit
E6UR-20 1/2	20 x 1/2 mm	100 pc
E6UR-25 1/2	25 x 1/2 mm	100 pc
E6UR-25 3/4	25 x 3/4 mm	100 pc
E6UR-32 1/2	32 x 1/2 mm	100 pc
E6UR-32 3/4	32 x 3/4 mm	100 pc
E6UR-32 1	32 x 1 mm	50 pc



Wall Mount Group

ميزان خلاط

Art. No	Dimension	Packing Unit
WM-20 1/2	20 mm x 1/2	40 pc
WM-25 1/2	25 mm x 1/2	40 pc

Transition Elbow Male

كوع سن خارجي

Art. No	Dimension	Packing Unit
E7-20 1/2	20 mm x 1/2	160 pc
E7-25 1/2	25 mm x 1/2	100 pc
E7-25 3/4	25 mm x 3/4	100 pc
E7-32 1	32 mm x 1	50 pc
E7-32 1/2	32 mm x 1/2	100 pc



Transition Elbow Male Multi +

كوع سن خارجي معزول

Art. No	Dimension	Packing Unit
E7UR-321	32 x 1 mm	50 pc



Elbow 45°

كوع فاتح (٤٥°)

Art. No	Dimension	Packing Unit
E3-20	20 mm	400 pc
E3-25	25 mm	200 pc
E3-32	32 mm	100 pc
E3-40	40 mm	100 pc
E3-50	50 mm	50 pc
E3-63	63 mm	20 pc
E3-75	75 mm	16 pc
E3-90	90 mm	6 pc
E3-110	110 mm	6 pc



Equal Tee

قسام عادي

Art. No	Dimension	Packing Unit
T1-20	20 mm	200 pc
T1-25	25 mm	100 pc
T1-32	32 mm	100 pc
T1-40	40 mm	50 pc
T1-50	50 mm	20 pc
T1-63	63 mm	10 pc
T1-75	75 mm	12 pc
T1-90	90 mm	6 pc
T1-110	110 mm	3 pc





Elbow 90°

كوع زاوية (٩٠°)

Art. No	Dimension	Packing Unit
E1-20	20 mm	400 pc
E1-25	25 mm	200 pc
E1-32	32 mm	100 pc
E1-40	40 mm	50 pc
E1-50	50 mm	40 pc
E1-63	63 mm	20 pc
E1-75	75 mm	14 pc
E1-90	90 mm	6 pc
E1-110	110 mm	3 pc

End Plug

سدّة سن خارجي

Art. No	Dimension	Packing Unit
C2N-1/2	1/2 mm	200 pc
C2-3/4	3/4 mm	200 pc

Reducing Tee

قشام نقاص

Art. No	Dimension	Packing Unit
T2-252025	25 x 20 x 25 mm	100 pc
T2-322032	32 x 20 x 32 mm	100 pc
T2-322532	32 x 25 x 32 mm	100 pc
T2-402540	40 x 25 x 40 mm	60 pc
T2-403240	40 x 32 x 40 mm	50 pc
T2-502550	50 x 25 x 50 mm	20 pc
T2-503250	50 x 32 x 50 mm	30 pc
T2-504050	50 x 40 x 50 mm	30 pc
T2-632563	63 x 25 x 63 mm	10 pc
T2-633263	63 x 32 x 63 mm	16 pc
T2-634063	63 x 40 x 63 mm	10 pc
T2-635063	63 x 50 x 63 mm	10 pc
T2-753275	75 x 32 x 75 mm	8 pc
T2-754075	75 x 40 x 75 mm	8 pc
T2-755075	75 x 50 x 75 mm	12 pc
T2-756375	75 x 63 x 75 mm	12 pc
T2-903290	90 x 32 x 90 mm	6 pc
T2-904090	90 x 40 x 90 mm	6 pc
T2-905090	90 x 50 x 90 mm	6 pc
T2-906390	90 x 63 x 90 mm	6 pc
T2-907590	90 x 75 x 90 mm	6 pc
T2-11075110	110 x 75 x 110 mm	3 pc
T2-11090110	110 x 90 x 110 mm	3 pc
T2-402040	40 x 20 x 40 mm	60 pc
T2-502050	50 x 20 x 50 mm	35 pc
T2-632063	63 x 20 x 63 mm	20 pc

Reducing Tee Multi +**قسمام نقاص معزول**

Art. No	Dimension	Packing Unit
T2UR-11075110	110 x 75 x 110 mm	3 pc
T2UR-11090110	110 x 90 x 110 mm	3 pc
T2UR-403240	40 x 32 x 40 mm	50 pc
T2UR-504050	50 x 40 x 50 mm	30 pc
T2UR-632563	63 x 25 x 63 mm	10 pc
T2UR-633263	63 x 32 x 63 mm	16 pc
T2UR-634063	63 x 40 x 63 mm	10 pc
T2UR-635063	63 x 50 x 63 mm	10 pc
T2UR-903290	90 x 32 x 90 mm	6 pc
T2UR-906390	90 x 63 x 90 mm	6 pc
T2UR-907590	90 x 75 x 90 mm	6 pc

**Over Bridge Bow****كوع جمل**

Art. No	Dimension	Packing Unit
B1-20	20 mm	100 pc
B1-25	25 mm	64 pc
B1-32	32 mm	42 pc

**Over Bridge Bow with Socket****كوع جمل بجلبة**

Art. No	Dimension	Packing Unit
B2-25	25 mm	50 pc
B2-32	32 mm	50 pc

**Bracket for Pipe****مشبك حراري**

Art. No	Dimension	Packing Unit
BT-20	20 mm	400 pc
BT-25	25 mm	400 pc
BT-32	32 mm	400 pc





Reducer Socket

نقاص

Art. No	Dimension	Packing Unit
R1-2520	25/20 mm	400 pc
R1-3220	32/20 mm	200 pc
R1-3225	32/25 mm	200 pc
R1-4025	40/25 mm	200 pc
R1-4032	40/32 mm	100 pc
R2-5025	50/25 mm	100 pc
R1-5032	50/32 mm	100 pc
R2-5040	50/40 mm	50 pc
R2-6325	63/25 mm	50 pc
R1-6332	63/32 mm	50 pc
R2-6340	63/40 mm	50 pc
R2-6350	63/50 mm	50 pc
R2-7540	75/40 mm	20 pc
R2-7550	75/50 mm	20 pc
R2-7563	75/63 mm	20 pc
R2-9032	90/32 mm	20 pc
R2-9040	90/40 mm	20 pc
R2-9050	90/50 mm	20 pc
R2-9063	90/63 mm	16 pc
R2-9075	90/75 mm	16 pc
R2-6320	63/20 mm	50 pc
R2-11075	110/75 mm	10 pc
R2-11090	110/90 mm	6 pc
R1-4020	40/20 mm	100 pc
R2-3225	32/25 mm	200 pc
R2-5020	50/20 mm	100 pc
R2-7532	75/32 mm	20 pc



Union both ends welding

شد وصل حراري من الجهتين

Art. No	Dimension	Packing Unit
UF2-25	25 mm	50 pc
UF2-32	32 mm	50 pc

Transition Union Both end Welding (Brass)

شد وصل حراري من الطرفين / نحاس

Art. No	Dimension	Kg/pc	Packing Unit
UF3-25	25 mm	0.0200	50 pc
UF3-32	32 mm	0.0320	30 pc
UF3-40	40 mm	0.0800	10 pc
UF3-50	50 mm	0.1400	10 pc
UF3-63	63 mm	0.1580	8 pc



Transition Union Both end Welding (Brass) Multi +

شد وصل حراري من الطرفين / نحاس معزول

Art. No	Dimension	Kg/pc	Packing Unit
UF3UR-25	25 mm	0.0200	50 pc
UF3UR-32	32 mm	0.0320	30 pc
UF3UR-40	40 mm	0.0800	10 pc
UF3UR-50	50 mm	0.1400	10 pc
UF3UR-63	63 mm	0.1580	8 pc



Saddle Socket

سرج

Art. No	Dimension	Packing Unit
SDSI- 6332	63 x 32 mm	100 pc
SDSI- 9032	90 x 32 mm	100 pc



End Cap

سدّه

Art. No	Dimension	Packing Unit
C-20	20 mm	400 pc
C-25	25 mm	400 pc
C-32	32 mm	200 pc
C-40	40 mm	100 pc
C-50	50 mm	100 pc
C-63	63 mm	50 pc
C-75	75 mm	30 pc
C-90	90 mm	20 pc
C-110	110 mm	10 pc





Socket

جلبة

Art. No	Dimension	Packing Unit
S1-20	20 mm	400 pc
S1-25	25 mm	400 pc
S1-32	32 mm	200 pc
S1-40	40 mm	100 pc
S1-50	50 mm	50 pc
S1-63	63 mm	30 pc
S1-75	75 mm	24 pc
S1-90	90 mm	16 pc
S1-110	110 mm	6 pc



Ball Valve

محبس سكين خارجي

Art. No	Dimension	Packing Unit
BV-20	20 mm	10 pc
BV-25	25 mm	10 pc
BV-32	32 mm	10 pc
BV-40	40 mm	10 pc
BV-50	50 mm	5 pc
BV-63	63 mm	5 pc



PPR Ball Valve

محبس سكين

Art. No	Dimension	Packing Unit
BV2-32	32 mm x1	10 pc

Concealed Valve**محبس كروم**

Art. No	Dimension	Packing Unit
V2-20	20 mm	10 pc
V2-25	25 mm	10 pc
V2-32	32 mm	10 pc
V2-40	40 mm	10 pc

**Stop Valve****محبس خارجي**

Art. No	Dimension	Packing Unit
V1-20	20 mm	10 pc
V1-25	25 mm	10 pc
V1-32	32 mm	10 pc
V1-40	40 mm	10 pc
V1-50	50 mm	10 pc
V1-63	63 mm	5 pc
V1-75	75 mm	3 pc
V1-90	90 mm	2 pc

**Gate Valve****محبس ٣٢ مل**

Art. No	Dimension	Packing Unit
GV-32	32 mm	10 pc
GV1-32	32 mm	10 pc

**Manifold****شبكة**

Art. No	Dimension	Packing Unit
MF2UR-9032	90 x 32 mm 2 Lines	4 pc
MF3UR-9032	90 x 32 mm 3 Lines	4 pc
MF4UR-9032	90 x 32 mm 4 Lines	4 pc
E5-25 1/2	25 x 1/2 mm	100 pc





Welding Device

ماكينة لحام

Art. No	Dimension	Packing Unit
P-WD2-2063	20 - 63 mm	1 pc
P-WD2-75110	75 - 110 mm	1 pc



Welding Tools

لقم لحام

Art. No	Dimension	Packing Unit
P-WT20-1	20 mm	1 pc
P-WT25-1	25 mm	1 pc
P-WT32-1	32 mm	1 pc
P-WT40-1	40 mm	1 pc
P-WT50-1	50 mm	1 pc
P-WT63-1	63 mm	1 pc
P-WT75-1	75 mm	1 pc
P-WT90-1	90 mm	1 pc
P-WT110-1	110 mm	1 pc



Welding Tools For Saddle

لقم لحام للسرج

Art. No	Dimension	Packing Unit
P-WT1-6320	20/63 mm	1 pc
P-WT1-6325	25/63 mm	1 pc
P-WT1-6332	32/63 mm	1 pc
P-WT1-7520	20/75 mm	1 pc
P-WT1-7525	25/75 mm	1 pc
P-WT1-7532	32/75 mm	1 pc
P-WT1-9020	20/90 mm	1 pc
P-WT1-9025	25/90 mm	1 pc
P-WT1-9032	32/90 mm	1 pc
P-WT1-11020	20/110 mm	1 pc
P-WT1-11025	25/110 mm	1 pc
P-WT1-11032	32/110 mm	1 pc

الخصائص الرئيسية للمنتجات

- الاستقرار في درجات الحرارة العالية
- صحية وصديقة للبيئة
- بدون ترسبات
- تركيب سهل ونظيف بواسطة اللحام
- العزل العالي للصوت
- المقاومة للكيمائيات
- القابلية لإعادة التدوير
- المقاومة للتآكل الكهروكيميائي
- انخفاض الموصلية الحرارية
- المقاومة للتيارات الكهربائية الشاردة
- العزل العالي للحرارة
- ضد الصدمات
- الفقدان المنخفض للضغط
- خفة الوزن

الخيار الصحي

تضع تحويل للمواسير والوصلات الصحة والسلامة المهنية في قمة أولوياتها في كل الظروف، وستستمر إدارتنا في رفع الوعي في هذه القضايا وعقد كل الدورات التدريبية الضرورية لتضمن وضع سياسة واضحة لصحة الموظفين وسلامتهم وحمايتهم في بيئة العمل، وينطبق ذلك أيضاً على المنتجات وتصميم العمليات واضعين في الحسبان التأثير على البيئة، ونحن نسعى لطرح نفايات أقل في البيئة والاستخدام الفعال للموارد الطبيعية والتكنولوجيا التي تقلل المخاطر على الصحة المهنية والسلامة. ويعمل موظفونا وأصحاب المصلحة الآخرين في أعمالنا معاً لرفع الأداء الصحي والمحافظة على السلامة بخفض معدلات الحوادث المهنية وتخفيض كميات النفايات والاستخدام غير الضروري للموارد الطبيعية.

الضمان

نحن نقدم ضماناً مدته ١٥ عاماً لجميع منتجات شبكة المواسير تبدأ من تاريخ التركيب، يرجى الاتصال بممثلينا المحليين لمزيد من التفاصيل.



معتمد لدى المشاريع الحكومية



DVGW Certificate



ISO 2004 : 14001



ISO 2008 : 9001



ضمان ١٥ عاماً



تكنولوجيا ألمانية



صناعة سعودية



A 686



أنظمة تحويل للتحديات الصحية

تسعى لطرح نفايات أقل في البيئة
وذلك بالاستخدام الفعال للموارد الطبيعية والتكنولوجيا
التي تقلل المخاطر على
الصحة والسلامة



من نحن

شركة تحويل البناء التجارية هي شركة تابعة لشركة تحويل المتكاملة في المملكة العربية السعودية. ونحن شركة متخصصة في إمداد منتجات المواسير والوصلات لنظم المواسير البلاستيكية للمياه الساخنة والباردة وتحت الضغط، بالإضافة إلى توزيع مياه الصرف الصحي. منتجاتنا الرئيسية هي مواسير البولي بروبلين والوصلات. يتم تصنيع جميع منتجات مواسير البولي بروبلين والوصلات طبقاً للمعايير الأوروبية والتكنولوجيا المتطورة. وتحمل منتجاتنا ضغوط المياه المختلفة والظروف البيئية القاسية. كما تتقيد بمعايير مطابقة للمواصفات السعودية (SASO) والألمانية (DIN).

تتبنى أنظمة منتجات تحويل لمواسير البولي بروبلين والوصلات المعايير الألمانية التي تقدم صلاحية للخدمة مدتها ٥٠ عاماً. وتطبق نظاماً صارماً لمراقبة الجودة في كل المنتجات لتقدم المواسير والوصلات غير القابلة للتآكل والخالية من العيوب والأمنة التي تمكن من التدفق السلس للماء للمساكن والعمليات الصناعية.

يتم إنتاج مواسير البولي بروبلين والوصلات باستخدام خطوط البثق العالية التقنية وماكينات حقن القوالب المتطورة للتأكد من الكفاءة القصوى وتحمل المياه الباردة والساخنة. وتتميز هذه المواسير والوصلات بالاعتمادية لنقل جميع الكيماويات الحمضية والقلوية القاسية والأخرى التفاعلية المسببة للتآكل دون أن تتأثر. كما أن منتجات الشركة لمواسير البولي بروبلين والوصلات لا تتميز بالجودة العالية فحسب، بل تتبع الشركة ذلك بضمانات كاملة لرضا العملاء من خلال التحسين المستمر وخدمات رعاية العملاء المتميزة.

رؤيتنا

تقديم أفضل حلول المواسير والوصلات، والمساهمة باستمرار في الاقتصاد السعودي، وتقديم القيمة لأصحاب المصلحة في أعمالنا من خلال المحافظة على المعايير العالية للجودة التي تأتي في قمة أولوياتنا على الدوام.

رسالتنا

ربط التكنولوجيا المتقدمة بالممارسات المبتكرة لخلق حلول المواسير والوصلات الأعلى جودة مع مراعاة حماية البيئة وصحة الانسان. الاستمرار في رفع مستوى الجودة والانتاجية، والتمسك بالقواعد الأخلاقية وتميز مواقع العمل، وتشجيع مواردنا البشرية والمحافظة على المستويات الجيدة لرضا أصحاب المصلحة في أعمالنا ومجتمعنا بوجه عام.





تحويل
أنظمة تمديدات صحية

ركبها مرة..
وانساها بالمرة

ص.ب ٦٩٥٩، الرياض ٤٩١٣ - ١٢٣٦١ المملكة العربية السعودية - سجل تجاري ١٠١٣٥٢٨٥٣ هاتف: ٩٢٠٠٠٨٣٣٢ + فاكس: ٩٦٦١١٢٠٠٨٢٥١ +

www.tahweelpipe.com



@tahweelpipes